


EAM-17DT - Dante Desk Microphone



PA desktop microphone (push-to-talk) with integrated Dante(r) module

- Back electret (array with 17 cartridges)
- Supercardioid polar pattern
- Silent electronic push-button
- Selectable operating modes: PTM, PTT, ON, OFF
- RJ45 jack for connection to a Dante(r) network
- Power supply via PoE (Power over Ethernet)

System requirements Dante(r): Windows 7/8/10 or MacOS

The brand Dante(r) as well as any Dante(r) software which may have been integrated into these products are licensed by Audinate Pty Ltd.

Tekniske data

| | |
|--------------------------------|--|
| Description | : PA desktop microphone (push-to-talk) |
| Version | : - |
| Transmission method | : Dante ^(r) network |
| Polar pattern | : supercardioid |
| System | : back electret (array with 17 cartridges) |
| Carrier frequency range | : - |
| Transmitting power | : - |
| Power supply | : - |
| Operating time | : - |
| Audio frequency range | : 80-20,000 Hz |
| Nominal impedance | : - |
| Sensitivity | : - |
| S/N ratio | : 65 dB at 1 kHz |
| Max. sound pressure | : 106 dB |
| Power supply | : PoE |
| Gooseneck length | : - |
| Housing material | : metal/steel |
| Admiss. ambient temp. | : 0-40 °C |
| Dimensions | : 348 x 31 x 60 mm |
| Weight | : 386 g |
| Cable | : - |
| Connection | : RJ45 |
| Packing dimensions (W x H x L) | : 0.096 x 0.072 x 0.425 m |
| Gross weight | : 0.56 kg |
| Net weight | : 0.393 kg |